

MILL TEST CERTIFICATE

20/07/2025 09:00

T C NO MKK / 0

DATE : 12.07.2025

To,



MATERIAL SUPPLY DETAILS & PO.NO.

PO No. : Mail
Item : ERW Square Hollow Sections
Type : Black Plain Ended
Batch No. : M9/250x250/250512/D & M9/240x120/250603/D
Size : 250 x 250 x 12.0 x 6100 mm
240 x 120 x 4.0 x 6100 mm

Quantity : 01 No

Quantity : 01 No

TEST RESULTS

PHYSICAL DIMENSIONS			CHEMICAL ANALYSIS				MECHANICAL PROPERTIES			
Outer Diameter		Thickness	C	Mn	S	P	YST	UTS	EL	Bend Test(RM)
Max (mm)	Min (mm)	mm	%	%	%	%	MPa	MPa	%	To Pass
250.4	249.8	12.07	0.158	0.620	0.012	0.017	342	465	29	PASSED
240.5	120.0	4.09	0.164	0.560	0.009	0.019	334	470	32	PASSED

Remarks: The Material supplied confirms to the Standard dimensions, Weight tolerances, Chemical compositions and Mechanical properties.

Reference : IS 4923 : 2017 YST 240

For MKK Metal Sections (P) Ltd.,

Tested By : Head Inspector Q.A.

Q.C.INCHARGE

Manufacturer of :-

ERW Black and Galvanized Steel Tubes/Pipes, (Round, Square, Rectangular, Octagonal).
Hot dip galvanizing of steel products, Cold rolled open sections, Z&C Purlin, Rolling Shutters (Complete Accessories),
Colour coated roofing sheets, Solar(MMS, Trackers), Handrails, Cable trays, False ceiling, Reinforcement and Railway coach products.

MILL TEST CERTIFICATE

T C NO MKK / 0

DATE : 12.07.2025

To,



MATERIAL SUPPLY DETAILS & PO.NO.

PO No. : Mail
Item : ERW Square Hollow Sections
Type : Black Plain Ended
Batch No. : M9/250x250/250512/D & M9/240x120/250603/D
Size : 250 x 250 x 12.0 x 6100 mm
240 x 120 x 4.0 x 6100 mm

Quantity : 01 No

Quantity : 01 No

TEST RESULTS

PHYSICAL DIMENSIONS			CHEMICAL ANALYSIS				MECHANICAL PROPERTIES			
Outer Diameter		Thickness	C	Mn	S	P	YST	UTS	EL	Bend Test(RM)
Max (mm)	Min (mm)	mm	%	%	%	%	MPa	MPa	%	To Pass
250.4	249.8	12.07	0.158	0.620	0.012	0.017	342	465	29	PASSED
240.5	120.0	4.09	0.164	0.560	0.009	0.019	334	470	32	PASSED

Remarks: The Material supplied confirms to the Standard dimensions, Weight tolerances, Chemical compositions and Mechanical properties.

Reference : IS 4923 : 2017 YST 240

For MKK Metal Sections (P) Ltd.,

Tested By : Head Inspector Q.A.

Q.C.INCHARGE

Manufacturer of :-

ERW Black and Galvanized Steel Tubes/Pipes, (Round, Square, Rectangular, Octagonal).
Hot dip galvanizing of steel products, Cold rolled open sections, Z&C Purlin, Rolling Shutters (Complete Accessories),
Colour coated roofing sheets, Solar(MMS, Trackers), Handrails, Cable trays, False ceiling, Reinforcement and Railway coach products.

	GENERAL STOCK CHS/RHS/SHS (BELOW10 NOS)									129.482
	SIZE	FC/NFC	Stamp	End Type	GSM	MAT.	LENGTH	NO'S	QTY	
1	19.05 x 1.35	NFC		PLAIN		CRFH	6.100	6	0.022	
2	19.05 x 2.4	NFC		PLAIN		HR	4.900	5	0.024	
3	21.3 x 1.6	NFC		PLAIN		HR	6.000	9	0.042	
4	21.3 x 2	NFC		PLAIN		HR	6.150	7	0.041	
5	21.3 x 2	NFC	1239M	PLAIN		HRPO	5.600	6	0.032	
6	21.3 x 2	NFC		PLAIN		HR	5.600	1	0.005	
7	21.3 x 2	NFC	1239H	PLAIN		HRPO	6.000	3	0.017	
8	21.3 x 2.5	NFC	1239	PLAIN		HR	5.600	6	0.039	
9	21.3 x 3	NFC		PLAIN		HR	5.980	9	0.073	
10	26.9 x 3.2	NFC		PLAIN		HR	5.760	9	0.095	
11	26.9 x 4	NFC	METPRO	PLAIN		HR	6.000	9	0.119	
12	33.7 x 1.6	NFC		PLAIN		HR	5.900	6	0.045	
13	33.7 x 1.6	NFC		PLAIN		HR	5.700	1	0.007	
14	33.7 x 3	NFC	METPRO	PLAIN		HR	5.800	4	0.053	
15	33.7 x 3	NFC		PLAIN		HR	5.780	1	0.013	
16	33.7 x 3.1	NFC		PLAIN		HR	5.800	9	0.122	
17	33.7 x 3.2	NFC		PLAIN		HR	3.250	7	0.055	
18	33.7 x 3.5	NFC		PLAIN		HR	6.100	1	0.016	
19	33.7 x 3.5	NFC		PLAIN		HR	6.100	1	0.016	
20	33.7 x 4.5	NFC	METPRO	PLAIN		HR	6.100	5	0.099	
21	38.1 x 1.6	NFC		PLAIN		HR	5.750	1	0.008	
22	38.1 x 1.6	NFC		PLAIN		HR	5.760	2	0.017	
23	38.1 x 1.6	NFC		PLAIN		HR	5.400	1	0.008	
24	38.1 x 1.6	NFC		PLAIN		HR	5.740	1	0.008	
25	38.1 x 1.8	NFC		PLAIN		HR	6.000	5	0.048	
26	38.1 x 4	NFC		PLAIN		HR	6.100	8	0.164	
27	38.1 x 4	NFC		PLAIN		HR	5.800	1	0.020	
28	42.4 x 4.5	NFC	1161	PLAIN		HR	6.100	4	0.103	
29	42.4 x 2.8	NFC		PLAIN		HR	4.700	1	0.013	
30	42.4 x 2.8	NFC		PLAIN		HR	4.680	2	0.026	
31	42.4 x 2.8	NFC		PLAIN		HR	4.950	1	0.014	
32	42.4 x 3.2	NFC		PLAIN		HR	4.680	2	0.029	
33	42.4 x 3.2	NFC		PLAIN		HR	4.700	1	0.015	
34	42.4 x 3.2	NFC		PLAIN		HR	4.950	1	0.015	
35	42.4 x 4	NFC		PLAIN		HR	5.800	1	0.022	
36	42.4 x 4.5	NFC		PLAIN		HR	6.100	4	0.103	
37	42.4 x 5/4.8	NFC		PLAIN		HR	6.100	5	0.136	
38	48.3 x 1.8	NFC		PLAIN		HR	6.000	6	0.074	
39	48.3 x 2.5	NFC		PLAIN		HR	5.500	1	0.016	
40	48.3 x 2.5	NFC		PLAIN		HR	6.000	6	0.102	
41	48.3 x 3	NFC		PLAIN		HR	6.300	4	0.084	
42	48.3 x 3.2	NFC		PLAIN		HR	5.230	9	0.168	
86	48.3 x 3.5	NFC	IS:1161	PLAIN	YST310	HR	4.500	5	0.087	
43	48.3 x 3.5	NFC		PLAIN		HR	5.740	1	0.022	
44	48.3 x 3.5	NFC		PLAIN		HR	5.200	3	0.060	
45	48.3 x 3.8	NFC		PLAIN		HR	6.100	5	0.127	
46	48.3 x 4	NFC		PLAIN		HR	5.200	3	0.068	
47	48.3 x 5	NFC		PLAIN		HR	5.700	1	0.030	
48	48.3 x 5.8	NFC		PLAIN		HR	5.800	1	0.035	
49	48.3 x 5.6	NFC	METPRO	PLAIN		HR	6.000	1	0.035	
50	48.3 X 6.0	NFC	METPRO	PLAIN		HR	6.100	5	0.191	
51	50.8 x 3.5	NFC		PLAIN		HR	5.700	2	0.047	
52	50.8 x 4	NFC		PLAIN		HR	6.180	1	0.029	
53	53 x 6	NFC		PLAIN		HR	6.100	7	0.297	
54	60.3 x 2	NFC		PLAIN		HR	4.350	9	0.113	
55	60.3 x 2.5	NFC	1161	PLAIN		HR	4.000	8	0.114	
56	60.3 x 2.6	NFC	3601	PLAIN		HR	3.000	6	0.064	
57	60.3 x 3.5	NFC		PLAIN		HR	5.700	1	0.028	
58	60.3 x 3.8	NFC		PLAIN		HR	5.800	5	0.154	
59	60.3 x 4	NFC		PLAIN		HR	5.800	2	0.064	
60	60.3 x 4	NFC		PLAIN		HR	5.200	1	0.029	
61	60.3 x 4	NFC		PLAIN		HR	5.500	1	0.031	
62	60.3 x 4	NFC		PLAIN		HR	5.270	1	0.029	
63	60.3 x 4	NFC	1161	PLAIN		HR	6.000	1	0.033	
64	60.3 x 4.8	NFC		PLAIN		HR	5.380	1	0.035	
65	60.3 x 5.4	NFC		PLAIN		HR	6.100	2	0.089	
66	60.3 x 8	NFC		PLAIN		HR	6.000	9	0.557	
67	63.5 x 3	NFC	METPRO	PLAIN		HR	6.100	3	0.082	
68	63.5 x 4	NFC	9295	PLAIN		HR	6.100	7	0.251	
69	63.5 x 8.8	NFC		PLAIN		HR	5.000	1	0.059	
70	63.5 x 8.8	NFC		PLAIN		HR	4.900	1	0.058	
71	63.5 x 8.8	NFC		PLAIN		HR	4.650	1	0.055	
73	76.1 x 2	NFC		PLAIN		HR	5.820	1	0.021	

74	76.1 x 2.5	NFC		PLAIN		HR	6.300	4	0.115	
75	76.1 x 3	NFC		PLAIN		HR	5.600	1	0.030	
76	76.1 x 3.5	NFC		PLAIN		HR	5.450	1	0.034	
77	76.1 x 4	NFC		PLAIN		HR	5.500	1	0.039	
78	76.1 x 4	NFC		PLAIN		HR	5.640	1	0.040	
79	76.1 x 4.5	NFC		PLAIN		HR	6.000	1	0.048	
80	76.1 x 5.4	NFC		PLAIN		HR	6.000	5	0.282	
81	88.9 x 3.2	NFC		PLAIN		HR	6.000	4	0.162	
82	89 x 4.5	NFC		PLAIN		HR	6.100	6	0.343	
83	88.9 x 4.5	NFC		PLAIN		HR	6.100	4	0.229	
84	88.9 x 4.5	NFC		PLAIN		HR	6.000	5	0.281	
85	88.9 x 5	NFC	METPRO	PLAIN		HR	4.350	1	0.045	
86	88.9 x 5	NFC		PLAIN		HR	5.400	7	0.391	
87	88.9 x 6	NFC	METPRO	PLAIN		HR	5.100	1	0.063	
88	88.9 x 6	NFC	METPRO	PLAIN		HR	6.100	4	0.299	
89	88.9 x 7/7.2	NFC		PLAIN		HR	5.800	5	0.410	
90	88.9 x 7	NFC	METPRO	PLAIN		HR	6.100	1	0.086	
162	88.9 X 8.0	NFC	METPRO	PLAIN	YST310	HR	5.360	6	0.513	
91	101.6 x 4	NFC		PLAIN		HR	5.550	1	0.053	
92	101.6 x 4.5	NFC		PLAIN		HR	6.100	1	0.066	
93	101.6 x 5	NFC	1161	PLAIN		HR	5.980	1	0.071	
94	101.6 x 5	NFC		PLAIN		HR	5.650	2	0.135	
95	101.6 x 5.4	NFC		PLAIN		HR	6.100	2	0.156	
96	101.6 x 5.5	NFC		PLAIN		HR	5.200	1	0.067	
97	101.6 x 6	NFC		PLAIN		HR	6.100	8	0.690	
98	114.3 x 3/2.8	NFC	3601	PLAIN		HR	6.100	2	0.100	
99	114 x 3.5	NFC		PLAIN		HR	5.100	1	0.049	
100	114.3 x 4	NFC		PLAIN		HR	7.300	3	0.238	
101	114.3 x 4	NFC		PLAIN		HR	8.200	2	0.178	
102	114.3 x 4.5	NFC		PLAIN		HR	4.640	1	0.057	
103	114.3 x 5	NFC		PLAIN		HR	4.300	6	0.348	
104	114.3 x 5.4	NFC	1161	PLAIN		HR	6.000	1	0.087	
105	114.3 x 6	NFC		PLAIN		HR	5.600	2	0.179	
106	114 x 6	NFC		PLAIN		HR	4.550	1	0.073	
107	114.3 x 6	NFC		PLAIN		HR	5.760	1	0.092	
108	114.3 x 6	NFC		PLAIN		HR	5.500	1	0.088	
109	114.3 x 6.3	NFC		PLAIN		HR	4.970	1	0.083	
110	114.3 x 7	NFC		PLAIN		HR	6.000	5	0.556	
111	114.3 x 7.8	NFC		PLAIN		HR	6.100	2	0.250	
112	114.3 x 8	NFC		PLAIN		HR	4.500	1	0.094	
113	114.3 x 8	NFC		PLAIN		HR	5.700	1	0.120	
114	114.3 x 8.5	NFC		BEVEL		HR	6.000	1	0.133	
115	127 x 3.5	NFC		PLAIN		HR	5.800	1	0.062	
116	127 x 4	NFC		PLAIN		HR	6.100	5	0.370	
117	127 x 5	NFC		PLAIN		HR	5.450	1	0.082	
118	127 x 6	NFC		PLAIN		HR	6.000	1	0.107	
119	133 x 4	NFC		PLAIN		HR	6.000	6	0.458	
120	133 x 4	FC		PLAIN		HR	6.000	3	0.229	
121	133 x 8	NFC		PLAIN		HR	6.100	2	0.301	
122	139.7 x 2	NFC		PLAIN		HR	6.100	4	0.165	
123	139.7 x 2.5	NFC	IS:3601	PLAIN	E250	HR	6.000	3	0.151	
124	139.7 x 3.6	NFC		PLAIN		HR	5.700	1	0.067	
125	139.7 x 4	NFC		PLAIN		HR	4.800	1	0.064	
126	139.7 x 4.5	NFC		PLAIN		HR	5.300	1	0.079	
127	139.7 x 4.5	NFC		PLAIN		HR	5.000	1	0.075	
128	139.7 x 4.5	NFC		PLAIN		HR	5.100	1	0.076	
129	139.7 x 4.6	NFC		PLAIN		HR	5.500	1	0.082	
130	139.7 x 5.6	NFC		PLAIN		HR	6.100	1	0.112	
131	139.7 x 7	NFC		PLAIN		HR	6.000	2	0.273	
132	152 x 2.5	NFC	3601	PLAIN		HR	6.100	4	0.226	
133	152.4 x 3	NFC		PLAIN		HR	6.000	2	0.133	
134	152.4 x 4	NFC		PLAIN		HR	6.900	2	0.202	
135	152.4 x 4	NFC		PLAIN		HR	6.100	6	0.536	
136	152.4 x 4	NFC		PLAIN		HR	5.780	1	0.085	
137	152 x 4	NFC		PLAIN		HR	5.000	1	0.073	
138	152.4 x 4.5	NFC		PLAIN		HR	6.100	3	0.300	
139	152.4 x 4.8	NFC		PLAIN		HR	5.400	1	0.098	
140	152.4 x 4.8/5.0	NFC	IS:1161	PLAIN		HR	6.100	2	0.222	
141	152.4 x 5.4	NFC		PLAIN		HR	6.000	1	0.117	
142	152.4 x 6	NFC		PLAIN		HR	6.100	3	0.396	
143	152.4 x 6	NFC		PLAIN		HR	6.000	1	0.130	
144	152 x 6.5	NFC		PLAIN		HR	6.100	1	0.143	
145	159 x 2	NFC		PLAIN		HR	6.100	1	0.047	
146	159 x 3	NFC		PLAIN		HR	6.100	6	0.423	
147	159 x 3	NFC		PLAIN		HR	5.200	2	0.120	

148	159 x 4	NFC		PLAIN		HR	5.500	1	0.084	
149	159 x 4.5	FC		PLAIN		HR	5.300	1	0.091	
150	159 x 5	NFC		PLAIN		HR	5.400	1	0.103	
151	159 x 8	NFC		PLAIN		HR	6.000	1	0.179	
152	165.1 x 3.2	NFC		PLAIN		HR	6.200	1	0.079	
153	165.1 x 3/3.0	NFC		PLAIN		HR	6.000	5	0.383	
154	165.1 x 4	NFC		PLAIN		HR	6.100	2	0.194	
155	165.1 x 4.8	NFC		PLAIN		HR	5.300	1	0.105	
156	165.1 x 5	NFC		PLAIN		HR	5.450	1	0.108	
157	165.1 x 3.5	NFC		PLAIN		HR	6.100	5	0.425	
158	165.1 x 5.5	NFC		PLAIN		HR	6.100	4	0.519	
159	165.1 x 5.8	NFC		PLAIN		HR	6.100	2	0.278	
160	165.1 x 6	NFC		PLAIN		HR	6.100	2	0.287	
161	165.1 x 7	NFC	METPRO	PLAIN		HR	4.800	2	0.262	
162	165.1 x 8	NFC		PLAIN		HR	5.200	1	0.161	
163	165.1 x 8	NFC		PLAIN		HR	4.640	1	0.144	
164	165.1 x 8/8.2	NFC		PLAIN		HR	6.100	5	0.945	
165	168.3 x 3.2	FC		PLAIN		HR	5.500	1	0.072	
166	168.3 x 3.2	NFC	1161	PLAIN		HR	6.400	1	0.083	
167	168.3 x 3.2	NFC		PLAIN		HR	6.100	6	0.477	
168	168.3 x 6.4	NFC		PLAIN		HR	6.100	1	0.156	
169	168.3 x 6.8	NFC		PLAIN		HR	6.100	1	0.165	
170	168.3 x 7	NFC		PLAIN		HR	5.700	1	0.159	
171	168.3 x 8	NFC		PLAIN		HR	6.000	4	0.759	
172	168.3 x 8	NFC		PLAIN		HR	6.100	2	0.386	
173	168.3 x 8.0	NFC	IS:1161	PLAIN		HR	5.000	1	0.158	
174	168.3 x 11.5	NFC		PLAIN		HR	6.000	3	0.833	
175	168.3 x 12	NFC		PLAIN		HR	5.100	1	0.236	
176	168.3 x 12	NFC		PLAIN		HR	4.300	1	0.199	
177	193.7 x 4	NFC		PLAIN		HR	5.300	1	0.099	
178	193.7 x 5	NFC		PLAIN		HR	6.100	2	0.284	
179	193.7 x 5	NFC		PLAIN		HR	6.000	5	0.698	
180	193.7 x 5.8	NFC		PLAIN		HR	6.200	1	0.167	
181	193.7 x 5.8	NFC		PLAIN		HR	6.500	1	0.175	
182	193.7 x 5.8	NFC		PLAIN		HR	5.750	1	0.155	
183	193.7 x 6	NFC		PLAIN		HR	5.000	1	0.134	
184	193 x 7	NFC		PLAIN		HR	6.100	2	0.393	
185	193.7 x 7.5	NFC		PLAIN		HR	6.100	2	0.420	
186	193.7 x 8	NFC		PLAIN		HR	6.100	4	0.894	
187	203 x 2.5	NFC		PLAIN		HR	5.300	1	0.066	
188	219.1 x 3.2	NFC		PLAIN		HR	5.900	1	0.100	
189	219.1 x 3.6	NFC		PLAIN		HR	5.500	4	0.409	
190	219.1 x 3.6	NFC		PLAIN		HR	6.100	1	0.113	
191	219.1 x 4	NFC		PLAIN		HR	5.400	2	0.229	
192	219.1 x 5.8	NFC		PLAIN		HR	5.700	1	0.174	
193	219.1 x 10	NFC		PLAIN		HR	5.100	1	0.250	
194	219.1 x 10	NFC		PLAIN		HR	4.100	4	0.805	
195	219.1 x 11.5	NFC		PLAIN		HR	5.600	1	0.330	
196	219.1 x 12	NFC		PLAIN		HR	5.700	1	0.335	
197	219.1 x 12	NFC		PLAIN		HR	6.200	1	0.365	
198	245 x 5	NFC		PLAIN		HR	6.300	1	0.186	
199	244 x 6.3	NFC		PLAIN		HR	6.100	1	0.225	
200	244.5 x 10	NFC		PLAIN		HR	5.200	1	0.286	
201	245 x 11.5	NFC		PLAIN		HR	5.380	2	0.710	
202	245 x 11.5	NFC		PLAIN		HR	5.400	1	0.356	
203	273 x 3.6	NFC		PLAIN		HR	5.600	1	0.134	
204	273 x 4	NFC		PLAIN		HR	5.100	1	0.135	
205	273 x 4	NFC		PLAIN		HR	5.500	1	0.146	
206	273 x 4	NFC		PLAIN		HR	4.700	1	0.125	
207	273 x 4	NFC		PLAIN		HR	5.700	1	0.151	
208	273 x 4	NFC		PLAIN		HR	5.000	1	0.133	
209	273 x 4	NFC		PLAIN		HR	5.400	1	0.143	
210	273.0 x 5.0	NFC		PLAIN		HR	5.600	1	0.185	
211	273.0 x 5.0	NFC		PLAIN		HR	5.300	1	0.175	
212	273 x 5.4	NFC		PLAIN		HR	6.100	1	0.217	
213	273 x 5.6	NFC		PLAIN		HR	5.900	1	0.218	
214	273.0 X 5.9	NFC	IS:1161	PLAIN	E250	HR	6.850	2	0.532	
215	273 x 6	NFC		PLAIN		HR	5.600	1	0.221	
216	273 x 7	NFC		PLAIN		HR	5.870	1	0.270	
217	273.0 X 8.0	NFC	IS:1161	PLAIN	E250	HR	4.920	1	0.257	
218	273 x 8	NFC		PLAIN		HR	4.600	1	0.240	
219	273 x 9	NFC		PLAIN		HR	6.100	1	0.357	
220	323.9 x 4	NFC		PLAIN		HR	5.200	1	0.164	
221	323.9 x 3.5	NFC		PLAIN		HR	5.600	1	0.155	
222	323.9 x 4	NFC		PLAIN		HR	5.885	1	0.186	

223	323.9 x 4	NFC		PLAIN		HR	4.900	1	0.155	
224	323.9 X 4.0	NFC	IS:3589	PLAIN	FE410	HR	6.100	2	0.385	
225	323.9 X 4.0	NFC	IS:3589	BEVEL	FE410	HR	5.300	1	0.167	
226	323.9 x 4	NFC		PLAIN		HR	5.170	1	0.163	
227	323.9 x 4.5	NFC		PLAIN		HR	6.100	2	0.432	
228	323.9 x 6.3	NFC	IS:1161	PLAIN		HR	6.000	2	0.592	
229	323.9 x 9.5	NFC		PLAIN		HR	6.000	1	0.442	
230	323.9 x 9.5	NFC		PLAIN		HR	5.200	1	0.383	
231	355.6 x 3.8	NFC		PLAIN		HR	6.200	2	0.430	
232	355.6 x 3.8	NFC		PLAIN		HR	5.400	1	0.187	
233	355.6 x 3.8	NFC		PLAIN		HR	6.100	3	0.635	
234	355.6 x 4	NFC		PLAIN		HR	5.000	1	0.173	
235	355.6 x 4	NFC		PLAIN		HR	5.400	1	0.187	
236	355.6 x 4	NFC		PLAIN		HR	5.500	2	0.382	
237	355.6 x 4	NFC		PLAIN		HR	5.300	1	0.184	
238	355.6 x 4	NFC		PLAIN		HR	5.000	2	0.347	
239	355.6 x 4	NFC		PLAIN		HR	5.800	1	0.201	
240	355.6 x 4	NFC		PLAIN		HR	5.800	1	0.201	
241	355.6 x 4	NFC		PLAIN		HR	5.100	1	0.177	
242	355.6 x 4	NFC		PLAIN		HR	5.300	2	0.368	
243	355.6 x 4	NFC		PLAIN		HR	5.500	1	0.191	
244	355.6 x 4	NFC		PLAIN		HR	5.600	1	0.194	
245	355.6 x 4	NFC		PLAIN		HR	5.200	1	0.180	
246	355.6 x 4	NFC		PLAIN		HR	5.000	1	0.173	
247	355.6 x 4	NFC		PLAIN		HR	5.100	1	0.177	
248	355.6 x 4	NFC		PLAIN		HR	4.800	1	0.166	
249	355.6 x 4	NFC		PLAIN		HR	5.200	2	0.361	
250	355.6 x 4	NFC		PLAIN		HR	5.780	1	0.200	
251	355.6 x 4	NFC		PLAIN		HR	5.480	1	0.190	
252	355.6 x 4	NFC		PLAIN		HR	5.640	1	0.196	
253	355.6 x 4	NFC		PLAIN		HR	5.300	1	0.184	
254	355.6 x 4.5	NFC		PLAIN		HR	5.130	1	0.200	
255	355.6 x 5	NFC		PLAIN		HR	6.000	1	0.259	
256	355.6 x 5	NFC		PLAIN		HR	5.700	1	0.246	
257	355.6 x 5	NFC		PLAIN		HR	5.900	1	0.255	
258	355 x 5.5	NFC		PLAIN		HR	5.400	1	0.256	
259	355 x 5.6	NFC		PLAIN		HR	6.100	1	0.290	
260	355.6 x 6	NFC		PLAIN		HR	5.800	1	0.300	
261	355.6 x 6.3	NFC		PLAIN		HR	6.000	1	0.326	
262	355.6 x 8	NFC		PLAIN		HR	5.600	1	0.384	
263	355.6 x 8	NFC		PLAIN		HR	5.100	1	0.350	
264	355.6 x 8.6	NFC		PLAIN		HR	5.400	1	0.397	
265	355.6 x 9	NFC		PLAIN		HR	5.170	1	0.398	
266	355.6 x 10	NFC		PLAIN		HR	5.100	1	0.414	
267	355.6 x 11.5	NFC		PLAIN		HR	4.100	1	0.400	
268	219.1 x 12	NFC		PLAIN		HR	6.100	5	1.795	
269	406.1 x 8	NFC		PLAIN		HR	6.000	1	0.471	
270	406.4 x 4	NFC		PLAIN		HR	5.300	1	0.210	
271	406.4 x 4	NFC		PLAIN		HR	5.300	1	0.210	
272	406.4 x 4	NFC		PLAIN		HR	5.000	1	0.198	
273	406.4 x 4	NFC		PLAIN		HR	5.700	1	0.226	
274	406.4 x 4	NFC		PLAIN		HR	6.200	1	0.246	
275	406.4 x 4	NFC		PLAIN		HR	5.400	2	0.428	
276	406.4 x 4	NFC		PLAIN		HR	5.000	2	0.397	
277	406.4 x 4	NFC		PLAIN		HR	5.100	1	0.202	
278	406.4 x 4	NFC		PLAIN		HR	5.400	1	0.214	
279	406.4 x 4	NFC		PLAIN		HR	5.200	1	0.206	
280	406.4 x 4	NFC		PLAIN		HR	4.900	1	0.194	
281	406.4 X 4.5	NFC	IS:3589	PLAIN	E350	HR	5.000	1	0.223	
282	406.4 X 5.0	NFC	IS:3589	BEVEL	FE410	HR	5.000	2	0.495	
283	406.4 X 5.0	NFC	IS:3589	BEVEL	FE410	HR	5.600	1	0.277	
284	406.4 x 6	NFC		PLAIN		HR	6.000	1	0.355	
285	406.4 x 6	NFC		PLAIN		HR	5.600	1	0.332	
286	406.4 x 8	NFC		PLAIN		HR	4.950	1	0.389	
287	406.4 x 8	NFC		PLAIN		HR	6.100	1	0.479	
288	406.4 x 9	NFC		PLAIN		HR	4.300	1	0.379	
289	406.4 x 9.5	NFC		BEVEL		HR	6.300	1	0.579	
290	406.4 x 9.5	NFC		PLAIN		HR	6.100	1	0.561	
291	406.4 x 9.5	NFC		PLAIN		HR	5.600	1	0.515	
292	406.4 x 10	NFC		PLAIN		HR	6.100	1	0.567	
293	455.6 x 4.5	NFC		PLAIN		HR	6.100	1	0.305	
294	455.6 x 4.8	NFC		BEVEL			6.100	1	0.326	
295	457 x 4	NFC		PLAIN		HR	5.200	1	0.232	
296	457 x 4	NFC	3589	PLAIN		HR	5.400	1	0.241	
297	457 x 4	NFC	3589	PLAIN		HR	5.000	1	0.223	

298	457 x 4	NFC		PLAIN		HR	5.000	1	0.223	
299	457 x 4	NFC		BEVEL		HR	5.100	1	0.227	
300	457 x 4	NFC		BEVEL		HR	4.700	1	0.209	
301	457 x 4.0	NFC		PLAIN		HR	5.800	1	0.258	
302	457 x 5.0	NFC		PLAIN		HR	5.720	1	0.318	
303	457 x 4.7	NFC	IS:3589	PLAIN	FE410	HR	5.300	1	0.283	
304	457 x 5	NFC		PLAIN		HR	5.470	1	0.304	
305	457 x 5	NFC		PLAIN		HR	5.300	1	0.294	
306	457 x 5.0	NFC	IS:3589	PLAIN	E250	HR	5.000	1	0.278	
307	457 x 5	NFC		PLAIN		HR	6.480	1	0.360	
308	457 x 5.6	NFC		PLAIN		HR	5.800	1	0.360	
309	457 x 5.8	NFC		PLAIN		HR	5.300	2	0.682	
310	457 x 5.8	NFC		PLAIN		HR	5.900	1	0.380	
311	457 x 5.8	NFC		PLAIN		HR	5.500	1	0.354	
312	457 X 12.0	NFC	NOSTAMP	PLAIN		HR	4.900	1	0.617	
313	40 X 20 X 1.8	NFC		PLAIN		HR	6.000	4	0.039	
314	50 X 25 X 5.4	NFC	METPRO	PLAIN		HR	6.100	6	0.207	
315	50 X 75 X 3	NFC		PLAIN		HR	6.100	2	0.069	
316	60 X 40 X 1.2	NFC		PLAIN		CRFH	6.100	3	0.034	
317	60 X 40 X 2.6	NFC		PLAIN		HR	6.100	5	0.115	
318	60 X 40 X 3.5	NFC		PLAIN		HR	6.100	1	0.032	
319	70 X 30 X 1.6	NFC		PLAIN		HR	5.800	1	0.014	
320	70 X 30 X 1.6	NFC		PLAIN		HR	5.700	1	0.014	
321	70 X 30 X 4.8	NFC		PLAIN		HR	6.800	1	0.049	
322	75 X 50 X 6	NFC		PLAIN		HR	5.600	4	0.244	
323	76.2 X 50.8 X 6.5	NFC		PLAIN		HR	5.800	5	0.343	
324	80 X 40 X 4.5	NFC		PLAIN		HR	6.100	1	0.048	
325	80 X 40 X 6.3	NFC		PLAIN		HR	5.400	1	0.059	
326	80 X 40 X 6.3	NFC		PLAIN		HR	5.600	2	0.121	
327	92 X 48 X 2.5	NFC		PLAIN		HR	6.550	1	0.035	
328	96 X 48 X 8	NFC		PLAIN		HR	6.000	4	0.396	
329	96 X 48 X 2.5	NFC		PLAIN		HR	6.500	1	0.036	
330	100 X 50 X 2	NFC		PLAIN		HR	6.500	2	0.060	
331	100 X 50 X 2.2	NFC		PLAIN		HR	6.100	2	0.062	
332	100 X 50 X 2.5	NFC	METPRO	PLAIN	E250	HR	5.000	3	0.086	
333	100 X 50 X 3	NFC		PLAIN		HR	5.500	1	0.038	
334	100 X 50 X 3.5/3.6	NFC		PLAIN		HR	6.100	3	0.145	
335	100 X 50 X 3.6	NFC		PLAIN		HR	5.600	1	0.044	
336	100 X 50 X 4	NFC		PLAIN		HR	5.800	1	0.052	
337	100 X 50 X 4.2	NFC		PLAIN		HR	6.100	1	0.055	
338	100 X 50 X 4.5	NFC		PLAIN		HR	6.300	3	0.191	
339	100 X 50 X 4.5	NFC		PLAIN		HR	6.100	4	0.246	
340	100 X 50 X 4.8	NFC		PLAIN		HR	6.000	1	0.064	
341	100 X 50 X 5	NFC		PLAIN		HR	6.100	6	0.393	
342	100 X 50 X 5	NFC		PLAIN		HR	5.200	2	0.112	
343	100 X 50 X 5.5	NFC		PLAIN		HR	6.100	1	0.074	
344	100 X 50 X 6	NFC		PLAIN		HR	5.700	1	0.075	
345	100 X 50 X 6.2	NFC		PLAIN		HR	6.200	1	0.085	
346	100 X 50 X 6.4	NFC		PLAIN		HR	5.000	1	0.070	
347	100 X 80 X 8	NFC		PLAIN		HR	5.300	3	0.334	
348	100 X 80 X 8	NFC		PLAIN		HR	6.000	1	0.126	
349	115 X 60 X 3	NFC		PLAIN		HR	4.700	5	0.188	
350	115 X 60 X 3	NFC		PLAIN		HR	6.300	2	0.101	
351	115 X 60 X 3	NFC		PLAIN		HR	6.000	1	0.048	
352	115 X 60 X 3	NFC		PLAIN		HR	6.100	2	0.097	
353	115 X 69 X 2.5	NFC		PLAIN		HR	6.200	1	0.044	
354	115 X 69 X 2.5	NFC		PLAIN		HR	5.400	1	0.038	
355	120 X 60 X 3	NFC		PLAIN		HR	4.500	2	0.074	
356	120 X 60 X 2	NFC		PLAIN		HR	6.100	8	0.270	
357	122 X 61 X 6/5.8	NFC		PLAIN		HR	6.100	2	0.199	
358	120 X 80 X 10	NFC		PLAIN		HR	5.500	1	0.159	
359	120 X 80 X 10	NFC		PLAIN		HR	5.600	1	0.162	
360	120 X 80 X 10	NFC		PLAIN		HR	5.550	1	0.160	
361	120 X 80 X 10	NFC		PLAIN		HR	6.100	1	0.176	
362	120 X 80 X 4.5	NFC		PLAIN		HR	5.500	2	0.150	
363	120 X 80 X 4.5	NFC		PLAIN		HR	6.000	4	0.326	
364	120 X 80 X 4.5	NFC		PLAIN		HR	6.200	1	0.084	
365	120 X 80 X 4.5	NFC		PLAIN		HR	5.600	2	0.152	
366	120 X 80 X 4.5	NFC		PLAIN		HR	5.800	2	0.158	
367	120 X 80 X 5	NFC		PLAIN		HR	6.100	2	0.184	
368	122 X 61 X 2.3	NFC		PLAIN		HR	6.100	4	0.158	
369	122 X 61 X 2.5	NFC		PLAIN		HR	6.200	3	0.131	
370	122 X 61 X 3.2	NFC		PLAIN		HR	6.100	5	0.273	
371	122 X 61 X 4.8	NFC		PLAIN		HR	6.100	5	0.403	
372	122 X 61 X 5	NFC		PLAIN		HR	6.100	1	0.084	

373	122 X 61 X 5	NFC		PLAIN		HR	5.300	1	0.073	
374	122 X 61 X 5	NFC		PLAIN		HR	5.100	1	0.070	
375	122 X 61 X 6	NFC		PLAIN		HR	6.800	1	0.111	
376	122 X 61 X 6.3	NFC		PLAIN		HR	6.100	2	0.209	
377	130 X 50 X 2.8	NFC		PLAIN		HR	6.400	1	0.049	
378	130 X 50 X 3	NFC		PLAIN		HR	7.000	4	0.216	
379	130 X 50 X 3	NFC		PLAIN		HR	6.350	5	0.245	
380	130 X 50 X 3.2	NFC		PLAIN		HR	6.000	4	0.211	
381	145 X 82 X 5	NFC		PLAIN		HR	6.800	1	0.117	
382	145 X 82 X 5	NFC		PLAIN		HR	5.500	1	0.094	
383	145 X 82 X 5	NFC		PLAIN		HR	6.100	3	0.314	
384	145 X 82 X 6	NFC		PLAIN		HR	6.100	2	0.250	
385	150 X 50 X 3	NFC		PLAIN		HR	6.100	1	0.056	
386	150 X 60 X 3	NFC		PLAIN		HR	5.400	6	0.313	
387	150 X 75 X 5.8/5.7	NFC		PLAIN		HR	6.100	7	0.826	
388	150 X 100 X 5	NFC		PLAIN		HR	5.600	1	0.106	
389	150 X 100 X 6.5	NFC		PLAIN		HR	6.100	2	0.299	
390	150 X 100 X 8	NFC		PLAIN		HR	6.300	1	0.188	
391	150 X 100 X 8	NFC		PLAIN		HR	6.100	3	0.546	
392	150 X 100 X 10	NFC		PLAIN		HR	6.400	1	0.224	
393	150 X 100 X 12	NFC		PLAIN		HR	5.300	4	0.734	
394	160 X 80 X 8	NFC		PLAIN		HR	5.200	1	0.148	
395	160 X 80 X 8	NFC		PLAIN		HR	7.700	1	0.219	
396	160 X 80 X 8.0	FC	NOSTAMP	PLAIN	E250	HR	5.840	1	0.166	
397	160 X 80 X 8.0	FC	NOSTAMP	PLAIN	E250	HR	4.230	1	0.120	
398	160 X 80 X 8.0	FC	NOSTAMP	PLAIN	E250	HR	4.840	1	0.138	
399	160 X 80 X 8.0	NFC	METPRO	PLAIN	E250	HR	6.100	2	0.347	
400	172 X 92 X 3	NFC		PLAIN		HR	6.100	1	0.075	
401	172 X 92 X 4	NFC		PLAIN		HR	6.100	3	0.297	
402	172 X 92 X 4	NFC		PLAIN		HR	6.100	6	0.593	
403	172 X 92 X 6	NFC		PLAIN		HR	6.100	1	0.146	
404	180 X 100 X 10	NFC		PLAIN		HR	5.900	1	0.226	
405	180 X 100 X 10	NFC		PLAIN		HR	6.100	2	0.468	
406	180 X 100 X 6	NFC		PLAIN		HR	6.700	3	0.475	
407	180 X 100 X 6	NFC		PLAIN		HR	6.100	5	0.720	
408	180 x 100 x 12.0	NFC	METPRO	PLAIN	E250	HR	6.000	2	0.567	
409	180 X 100 X 8	NFC		PLAIN		HR	5.950	1	0.185	
410	200 X 100 X 2.5	NFC		PLAIN		HR	7.900	1	0.092	
411	200 X 100 X 3	NFC		PLAIN		HR	6.100	1	0.085	
412	200 X 100 X 3.8	NFC		PLAIN		HR	6.100	1	0.107	
413	200 X 100 X 6	NFC		PLAIN		HR	6.100	1	0.167	
414	200 X 100 X 10	NFC		PLAIN		HR	5.200	1	0.233	
415	200 X 100 X 12	NFC		PLAIN		HR	6.000	2	0.611	
416	250 X 150 X 6	NFC		PLAIN		HR	6.100	4	0.898	
417	200 X 150 X 8	NFC		PLAIN		HR	5.900	1	0.250	
418	200 X 150 X 12	NFC		PLAIN		HR	6.100	1	0.381	
419	240 X 120 X 3	NFC		PLAIN		HR	6.100	2	0.204	
420	240 X 120 X 10	NFC		PLAIN		HR	5.200	1	0.281	
421	250 X 150 X 5	NFC		PLAIN		HR	6.100	4	0.751	
422	250 X 150 X 6	NFC		PLAIN		HR	5.600	1	0.206	
423	250 X 150 X 6	NFC		PLAIN		HR	4.500	1	0.166	
424	250 X 150 X 6	NFC		PLAIN		HR	5.400	1	0.199	
425	300 X 100 X 4	NFC		PLAIN		HR	6.700	2	0.330	
426	300 X 100 X 4	NFC		PLAIN		HR	6.100	2	0.301	
427	300 X 100 X 4.5	NFC		PLAIN		HR	6.700	4	0.742	
428	300 X 150 X 5	NFC		PLAIN		HR	6.100	2	0.406	
429	300 X 150 X 7	NFC		PLAIN		HR	6.100	2	0.588	
430	300 X 150 X 8	NFC		PLAIN		HR	6.000	1	0.329	
431	400 X 200 X 6	NFC		PLAIN		HR	6.500	2	0.723	
432	25 X 25 X 1	NFC		PLAIN		CR	6.100	5	0.023	
433	30 X 30 X 2.9	NFC		PLAIN		HR	6.000	1	0.012	
434	32 X 32 X 1.8	NFC		PLAIN		HR	6.000	3	0.031	
435	40 X 40 X 1.2	NFC		PLAIN		CRFH	5.480	8	0.064	
436	40 X 40 X 2	NFC		PLAIN		HR	5.000	1	0.012	
437	40 X 40 X 4	NFC	4923	PLAIN		HR	5.300	5	0.123	
438	40 X 40 X 4.5	NFC	4923	PLAIN		HR	6.100	3	0.094	
439	40 X 40 X 5	NFC		PLAIN		HR	6.100	1	0.035	
440	40 X 40 X 6	NFC		PLAIN		HR	6.100	1	0.041	
441	45 X 45 X 2.9	NFC		PLAIN		HR	6.100	7	0.171	
442	60 X 60 X 2.8	NFC		PLAIN		HR	5.600	2	0.057	
443	72 X 72 X 1.8	NFC	1161	PLAIN		HR	6.100	2	0.048	
444	72 X 72 X 3	NFC		PLAIN		HR	6.500	8	0.339	
445	72 X 72 X 3.2	NFC		PLAIN		HR	6.100	1	0.040	
446	72 X 72 X 3.6	NFC		PLAIN		HR	6.100	3	0.142	
447	72 X 72 X 4	NFC		PLAIN		HR	6.000	2	0.103	

448	72 X 72 X 4.2	NFC		PLAIN		HR	5.000	1	0.043	
449	72 X 72 X 4.2	NFC		PLAIN		HR	5.100	1	0.044	
450	72 X 72 X 5	NFC		PLAIN		HR	4.900	1	0.052	
451	72 X 72 X 8	NFC		PLAIN		HR	6.100	7	0.699	
452	75 X 75 X 3.5	NFC		PLAIN		HR	6.100	4	0.193	
453	75 X 75 X 4	NFC		PLAIN		HR	6.100	6	0.100	
454	75 X 75 X 5	NFC		PLAIN		HR	6.100	7	0.474	
455	75 X 75 X 5.8	NFC		PLAIN		HR	6.100	3	0.233	
456	76.2 X 76.2 X 5.0	NFC	METPRO	PLAIN	GR1	HR	6.000	3	0.204	
457	76.2 X 76.2 X 4.78	NFC	METPRO	PLAIN	E250	HR	6.000	3	0.185	
458	80 X 80 X 1.8	NFC		PLAIN		HR	6.100	4	0.107	
459	80 X 80 X 2.3	NFC		PLAIN		HR	6.100	4	0.137	
460	80 X 80 X 2.5	NFC		PLAIN		HR	6.000	1	0.036	
461	80 X 80 X 2.5	NFC		PLAIN		HR	6.100	1	0.037	
462	80 X 80 X 3	NFC		PLAIN		HR	5.300	8	0.307	
463	80 X 80 X 3.0	NFC	METPRO	PLAIN	E250	HR	6.100	5	0.221	
464	80 X 80 X 4.5	NFC	METPRO	PLAIN	E250	HR	6.100	2	0.131	
465	80 X 80 X 2.6	NFC		PLAIN		HR	6.100	5	0.185	
466	80 X 80 X 3.2	NFC		PLAIN		HR	6.100	1	0.044	
467	80 X 80 X 3.5	NFC		PLAIN		HR	6.100	5	0.257	
468	80 X 80 X 3.6	NFC		PLAIN		HR	6.100	1	0.051	
469	80 X 80 X 3.8	NFC		PLAIN		HR	6.100	3	0.162	
470	80 X 80 X 4.5	NFC		PLAIN		HR	6.000	1	0.064	
471	80 X 80 X 4.5	NFC		PLAIN		HR	5.000	1	0.054	
472	80 X 80 X 5	NFC		PLAIN		HR	7.000	1	0.083	
473	80 X 80 X 5	NFC		PLAIN		HR	6.980	6	0.496	
474	80 X 80 X 5.5	NFC		PLAIN		HR	4.600	1	0.060	
475	80 X 80 X 5.5	NFC		PLAIN		HR	4.800	1	0.062	
476	80 X 80 X 6	NFC		PLAIN		HR	7.000	2	0.191	
477	80 X 80 X 6	NFC		PLAIN		HR	6.600	3	0.270	
478	80 X 80 X 6	NFC		PLAIN		HR	5.500	1	0.075	
479	80 X 80 X 8	NFC		PLAIN		HR	5.000	6	0.550	
480	91.5 X 91.5 X 5	NFC		PLAIN		HR	6.100	5	0.417	
481	91.5 X 91.5 X 8	NFC		PLAIN		HR	6.100	5	0.650	0.650
482	91.5 X 91.5 X 8	NFC		PLAIN		HR	4.880	1	0.104	
483	91.5 X 91.5 X 8	NFC		PLAIN		HR	5.500	1	0.117	
484	100 X 100 X 3	NFC		PLAIN		HR	5.800	1	0.053	
485	100 X 100 X 3	NFC	METPRO	PLAIN	GR3	HR	6.100	1	0.056	
486	100 X 100 X 3.5	NFC		PLAIN		HR	6.100	7	0.455	
487	100 X 100 X 3.5	NFC		PLAIN		HR	6.500	2	0.139	
488	100 X 100 X 3.5	NFC		PLAIN		HR	4.800	5	0.256	
489	100 X 100 X 4	NFC		PLAIN		HR	8.500	9	0.928	
490	100 X 100 X 4	NFC		PLAIN		HR	5.500	1	0.067	
491	100 X 100 X 4	NFC		PLAIN		HR	8.000	2	0.194	
492	100 X 100 X 4	NFC		PLAIN		HR	6.300	6	0.459	
493	100 X 100 X 4.5	NFC		PLAIN		HR	6.600	7	0.628	
494	100 X 100 X 6	NFC		PLAIN		HR	5.700	1	0.102	
495	100 X 100 X 6	NFC		PLAIN		HR	5.200	1	0.093	
496	100 X 100 X 6	NFC		PLAIN		HR	8.000	2	0.286	
497	100 X 100 X 6	NFC		PLAIN		HR	7.400	1	0.132	
498	100 X 100 X 6	NFC		PLAIN		HR	5.700	5	0.510	
499	100 X 100 X 6	NFC		PLAIN	E250	HR	3.550	2	0.127	
500	100 X 100 X 8	NFC		PLAIN		HR	5.300	1	0.124	
501	100 X 100 X 8.2	NFC		PLAIN		HR	6.100	1	0.143	
502	100 X 100 X 10	NFC		PLAIN		HR	5.100	1	0.147	
503	113.5 X 113.5 X 5	NFC		PLAIN		HR	6.100	2	0.209	
504	113.5 X 113.5 X 5	NFC		PLAIN		HR	4.800	1	0.082	
505	113.5 X 113.5 X 5	NFC		PLAIN		HR	6.100	4	0.418	
506	113.5 X 113.5 X 6.5	NFC		PLAIN		HR	6.100	1	0.134	
507	120 X 120 X 10	NFC		PLAIN		HR	4.300	2	0.302	
508	120 X 120 X 12	NFC		PLAIN		HR	5.350	1	0.214	
509	120 X 120 X 12	NFC		PLAIN		HR	5.500	1	0.220	
510	120 X 120 X 6	NFC		PLAIN		HR	5.700	7	0.864	
85	120 X 120 X 12	NFC		PLAIN		HR	6.100	2	0.488	271.343
511	125 X 125 X 2.5	NFC		PLAIN		HR	6.000	6	0.347	
512	125 X 125 X 3	NFC		PLAIN		HR	6.100	1	0.070	
513	125 X 125 X 5	NFC		PLAIN		HR	6.100	3	0.348	
514	125 X 125 X 5.4	NFC		PLAIN		HR	6.100	1	0.125	
515	125 X 125 X 10	NFC		PLAIN		HR	5.200	3	0.573	
516	132 X 132 X 2.5	NFC		PLAIN		HR	6.100	8	0.499	
89	132 X 132 X 6	NFC		PLAIN		HR	6.100	4	0.586	
517	132 X 132 X 3	NFC		PLAIN		HR	6.100	3	0.224	
518	132 X 132 X 8	NFC		PLAIN		HR	6.000	1	0.190	
519	140 X 140 X 10	NFC		PLAIN		HR	6.000	1	0.249	
520	140 X 140 X 10	NFC		PLAIN		HR	5.800	1	0.240	

521	140 X 140 X 12	NFC		PLAIN		HR	5.400	1	0.265	
522	150 X 150 X 2.5	NFC		PLAIN		HR	6.100	8	0.564	
523	150 X 150 X 4	NFC		PLAIN		HR	6.100	1	0.112	
524	150 X 150 X 4.0	NFC	METPRO	PLAIN	YST240	HR	5.500	2	0.202	
525	150 X 150 X 5	NFC		PLAIN		HR	5.000	2	0.228	
526	150 X 150 X 5	NFC		PLAIN		HR	11.200	1	0.255	
527	150 X 150 X 6	NFC		PLAIN		HR	7.000	2	0.381	
528	150 X 150 X 6	NFC		PLAIN		HR	7.000	1	0.191	
529	150 X 150 X 8	NFC		PLAIN		HR	5.850	1	0.210	
530	150 X 150 X 8	NFC		PLAIN		HR	4.850	1	0.174	
531	150 X 150 X 10.0	NFC	METPRO	PLAIN	E350	HR	6.200	2	0.524	
532	150 X 150 X 10.0	NFC	METPRO	PLAIN	E350	HR	6.630	3	0.841	
533	150 X 150 X 10	NFC		PLAIN		HR	4.900	7	1.523	
534	150 X 150 X 12	NFC		PLAIN		HR	5.500	2	0.557	
535	150 X 150 X 12	NFC		PLAIN		HR	5.500	1	0.278	
536	180 X 180 X 4	NFC		PLAIN		HR	6.900	4	0.613	
537	180 X 180 X 4	NFC		PLAIN		HR	5.400	1	0.120	
538	180 X 180 X 5	NFC		PLAIN		HR	6.100	4	0.674	
539	180 X 180 X 5.5	NFC		PLAIN		HR	6.000	3	0.546	
540	180 X 180 X 6	NFC		PLAIN		HR	6.100	1	0.201	
541	180 X 180 X 6	NFC		PLAIN		HR	5.100	4	0.673	
542	180 X 180 X 6	NFC		PLAIN		HR	4.200	3	0.416	
543	180 X 180 X 12	NFC		PLAIN		HR	5.800	1	0.358	
544	200 X 200 X 10	NFC		PLAIN		HR	6.100	1	0.367	
545	200 X 200 X 12	NFC		PLAIN		HR	12.000	1	0.825	
546	200 X 200 X 8	NFC		PLAIN		HR	5.400	1	0.262	
547	200 X 200 X 8	NFC		PLAIN		HR	6.100	1	0.296	
548	220 X 220 X 5	NFC		PLAIN		HR	6.100	3	0.621	
549	220 X 220 X 8	NFC		PLAIN		HR	8.300	1	0.445	
550	220 X 220 X 9.5	NFC		PLAIN		HR	5.100	1	0.323	
551	220 X 220 X 12	NFC		PLAIN		HR	5.500	1	0.436	
552	250 X 250 X 8.0	NFC		PLAIN		HR	6.000	2	0.734	
553	250 X 250 X 10	NFC		PLAIN		HR	5.400	1	0.390	
554	250 X 250 X 12	NFC		PLAIN		HR	6.100	1	0.552	